


Project:
Fit Body Bootcamp
 Fit Out
 281 Witherspoon Road
 Princeton, NJ 08540

CLIENT: Herring Properties
 23 Orchard Road Suite 203 Skillman, NJ 08558

ARCHITECT:



www.bsbdesign.com
 Hartsville Professional Village
 1250 Old York Road, Suite 201
 Warminster, PA 18974
 267.317.4400 x 2201





ISSUE DATE: 08-24-2017

REVISIONS	DATE
Plumbing Review	08/13/17



LOCATION



AREA OF WORK

CODE CONFORMANCE

CODE COMPLIANCE INFORMATION:
 THIS PROJECT IS DESIGNED TO MEET OR EXCEED THE PROVISIONS OF THE SPECIFIC CODES LISTED BELOW. DEVIATIONS FROM THESE REQUIREMENTS, OR FUTURE AMENDMENTS THERETO, SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT PRIOR TO CONSTRUCTION.

THE 2015 INTERNATIONAL BUILDING CODE AS AMENDED BY NEW JERSEY CURRENTLY IN EFFECT AT THE TIME OF THE PERMIT APPLICATION SHALL BE THE GOVERNING, COMPREHENSIVE CODE REGULATION FOR THIS PROJECT.

- OCCUPANCY: GROUP A3 (ASSEMBLY)
- FIRE EXTINGUISHERS: TYPE 2A: 1020 PLACED PER NFPA 10
- FIRE ALARM SYSTEM: PER 2015 NJIBC SECTION
- CONSTRUCTION CLASS: TYPE 2B

- APPLICABLE CODES:**
- BUILDING: 2015 NJ INTERNATIONAL BUILDING CODE
 - MECHANICAL: 2015 NJ INTERNATIONAL MECHANICAL CODE
 - PLUMBING: 2015 NJ INTERNATIONAL PLUMBING CODE
 - ELECTRICAL: 2014 NATIONAL ELECTRICAL CODE (NEC)
 - ENERGY: 2015 NJ INTERNATIONAL ENERGY CODE
 - FIRE/LIFE SAFETY: 2015 NJ INTERNATIONAL FIRE CODE

GENERAL NOTES:
 THE CONSTRUCTOR IS TO ASSURE THAT THE PROVISIONS OF THESE CODES ARE FULLY MET IN THE FIELD DURING THE COURSE OF CONSTRUCTION. NOTHING CONTAINED WITHIN THESE DRAWINGS OR ELSEWHERE WITHIN THE CONTRACT DOCUMENTS, STATED OR IMPLIED, SHALL BE CONSTRUED AS A DIRECTIVE TO VIOLATE THE REQUIREMENTS OF ANY CODE HAVING JURISDICTION OVER THIS PROJECT.

CONSTRUCTION INFORMATION

BUILDING CODES: 2015 NJIBC
 USE GROUP: A3/B
 CONSTRUCTION TYPE: IIB
 ISSUE DATE: 07-26-2017
 PROJECT NUMBER: CM170317.00
 ARCHITECT OF RECORD: DAN SWIFT
 LICENSE NUMBER: 21A102007500

LEGEND OF ARCHITECTURAL SYMBOLS

BRICK	STEEL	PLYWOOD: SMALL SCALE	DOOR SYMBOL	SECTION NUMBER
CONCRETE MASONRY UNIT	PLASTER CEMENT, SAND, GROUT	METAL: SMALL SCALE	WINDOW SYMBOL	BUILDING SECTION
CAST IN PLACE OR PRE-CAST CONCRETE	ROCK OR STONE	GYPSUM WALL BOARD	REVISION NUMBER	DETAIL
LIGHT WEIGHT CONCRETE	CRUSHED STONE, GRAVEL OR POROUS FILL	STUCCO REINFORCED	VOID	INTERIOR ELEVATION
CAST STONE	CUT STONE, BLUESTONE, FLAGSTONE OR SLATE	RESILIENT FLOORING	ELEVATION NO.	DETAIL
EARTH: UNDISTURBED	STONE: ROUGH-CUT OR RUBBLE	CARPET AND PAD	INTERIOR ELEVATION	DETAIL
EARTH: BACKFILL	WOOD: FINISH	CERAMIC TILE: LARGE SCALE	CHANGE OF FLOOR FINISH	DETAIL
BATT OR BLOWN INSULATION	WOOD: ROUGH	CERAMIC TILE: PROFILE	DATUM ELEVATION	DETAIL
RIGID INSULATION	WOOD BLOCKING	GLASS: LARGE SCALE	MATCH LINE	DETAIL
METAL: ALUMINUM, ECT.	PLYWOOD: LARGE SCALE	GLASS: SMALL SCALE	(TB) TEST BORING	DETAIL
			(DP) DATUM POINT	DETAIL
			(CP) CONTROL POINT	DETAIL

INDEX OF DRAWINGS

CS-1 COVER SHEET & CODE INFORMATION	A-4 INTERIOR ELEVATIONS, SCHEDULES
AGN-1 ACCESSIBILITY	
A-0 EXISTING PLAN & DEMO PLAN	
A-1 PROPOSED FLOOR PLAN	
A-2 REFLECTED CEILING & ELECTRICAL PLAN 1	
A-2.1 REFLECTED CEILING & ELECTRICAL PLAN 2	
A-3 FLOOR FINISH PLAN	

07.26.2017 - Permit Review

Gym Fitout
 281 Witherspoon Street
 Princeton, NJ 08540




www.bsbdesign.com
 1250 Old York Road, Unit 201
 Warminster, PA 18974
 267-317-4400


JOB NO: CM170317.00 PROJ MGR: RL
 DRAWN: FML CHECKED: RL

Cover Sheet


CS-1



5 CHANGES IN LEVEL
 SCALE: N/A 303



4 DOOR
 SCALE: N/A




-LAVATORY FIXTURES.
 THE REQUIREMENTS OF THIS SUBSECTION SHALL APPLY TO LAVATORY FIXTURES, VANITIES AND BUILT-IN LAVATORIES.
 (1) A CLEAR FLOOR SPACE 30 IN. BY 48 IN. SHALL BE PROVIDED IN FRONT OF A LAVATORY TO ALLOW A FORWARD APPROACH. SUCH CLEAR SPACE SHALL ADJOIN OR OVERLAP AN ACCESSIBLE ROUTE AND SHALL EXTEND INTO KNEE AND TOE SPACE UNDERNEATH THE LAVATORY.
 (2) MIRRORS SHALL BE MOUNTED WITH THE BOTTOM EDGE NO HIGHER THAN 40 INCHES FROM THE FLOOR AND 74" HIGH MINIMUM IF INTENDED FOR BOTH AMBULATORY AND WHEELCHAIR USERS.

-SINKS.
 SINKS SHALL BE 6-1/2 IN. (165 mm) DEEP MAXIMUM. FRONT OF SINK SHALL BE 34" MAX. ABOVE FINISHED FLOOR. MULTIPLE COMPARTMENT SINKS SHALL HAVE AT LEAST 1 COMPARTMENT COMPLYING WITH THIS REQUIREMENT.


-EXPOSED PIPES AND SURFACES.
 WATER SUPPLY AND DRAIN PIPES UNDER LAVATORIES AND SINKS SHALL BE INSULATED OR OTHERWISE CONFIGURED TO PROTECT AGAINST CONTACT. THERE SHALL BE NO SHARP OR ABRASIVE SURFACES UNDER LAVATORIES AND SINKS.

-FAUCETS.
 FAUCETS SHALL BE HAND-OPERATED AND SELF-CLOSING. WHEN USED, THEY SHALL REMAIN OPEN FOR 10 SECONDS MINIMUM.

3 LAVATORIES AND SINKS
 SCALE: N/A



1 MANEUVERING CLEARANCES
 SCALE: N/A 404



2 SPACE ALLOWANCE/REACH
 SCALE: N/A 305, 306, 308, 309



ISSUE DATE: 10-04-2017

REVISIONS	DATE
Plumbing Review	08/13/17




Gym Fitout
 281 Witherspoon Street
 Princeton, NJ 08540




www.bsbdesign.com
 1250 Old York Road, Unit 201
 Warminster, PA 18974
 267-317-4400

JOB NO: CM170317.00 PROJ MGR: RL
 DRAWN: FML CHECKED: RL
 Accessibility



1 Existing Floor Plan
SCALE: 1/8"=1'-0"



2 Demo Plan
SCALE: 1/8"=1'-0"

DEMOLITION NOTES:

- (A) REMOVE EXISTING NON-BEARING PARTITIONS INDICATED AS HATCHED ON PLANS. PATCH AND REPAIR ADJACENT AREAS AS NECESSARY AND PREPARE FOR NEW FINISHES.
- (B) PATCH AND REPAIR ALL REMAINING WALLS AS NECESSARY. PREPARE THESE SURFACES FOR NEW SCHEDULED FINISHES.
- (C) REMOVE ALL EXISTING PLUMBING FIXTURES AND UNNECESSARY PLUMBING LINES AS INDICATED. CAP ALL UNUSED DRAINS, AND WATER LINES AS REQUIRED BY CODE.
- (D) LICENSED FIRE SPRINKLER CONTRACTOR WILL MAKE ALL REVISIONS TO THE EXISTING NFPA-13 FIRE SUPPRESSION SYSTEM.
- (E) PROVIDE UL APPROVED FIRE CAULK AROUND ALL NEW AND EXISTING OPENINGS IN RATED WALLS.
- (F) REMOVE EXISTING FLOOR FINISH AND PREPARE FLOOR SURFACE TO RECEIVE NEW FLOORING AS PER PLANS. PATCH AND REPAIR EXISTING SUB-FLOOR AS REQUIRED WHERE NECESSARY. REMOVE EXISTING FLOORING AND BASE AND PREPARE AREAS FOR NEW FLOORING AND NEW BASE.
- (G) REPLACE ALL DAMAGED OR STAINED CEILING TILES



ISSUE DATE: 08-04-2017

REVISIONS	DATE
Plumbing Review	08/13/17

STATE OF NEW JERSEY
PLUMBING CONTRACTOR
21400067000




Gym Fitout
281 Witherspoon Street
Princeton, NJ 08540



www.bsbdesign.com
1250 Old York Road, Unit 201
Warminster, PA 18974
267-317-4400

JOB NO: CM170317.00 PROJ MGR: RL
DRAWN: RML CHECKED: RL
Existing Floor Plan
Demo Plan



07.26.2017 - Permit Review




1 Proposed Floor Plan
 SCALE: 1/4"=1'-0"
 Fit Body Boot Camp Square Footage: +/- 3201 SF.

- GENERAL CONDITIONS**
- ALL CODES HAVING JURISDICTION SHALL BE OBSERVED STRICTLY IN THE CONSTRUCTION OF THE PROJECT, INCLUDING ALL APPLICABLE STATE AND COUNTY, AND LOCAL BUILDING, ZONING, ELEC, MECH, PLUMBING ADA, AND FIRE CODES.
 - THE OWNER'S PRIME CONTRACTOR SHALL VERIFY ALL CODE REQUIREMENTS BEFORE COMMENCEMENT OF CONSTRUCTION AND BRING ANY DISCREPANCIES BETWEEN CODE REQUIREMENTS AND CONSTRUCTION DOCUMENTS TO THE ATTENTION OF THE ARCHITECT. DETAILS AND SECTIONS ON THE DRAWINGS ARE SHOWN AT SPECIFIC LOCATIONS AND ARE INTENDED TO SHOW GENERAL REQUIREMENTS THROUGHOUT. DETAILS NOTED "TYPICAL" IMPLY ALL CONDITIONS TREATED SIMILARLY.
 - ALL DRAWINGS SHALL BE FULLY COORDINATED BY OWNER'S PRIME CONTRACTOR TO VERIFY ALL DIMENSIONS AND LOCATIONS OF DEPRESSES SLABS, SLOPES, DRAINS, OUTLETS, RECESSES, REGLETS, BOLT SETTINGS, SLEEVES, ETC.
 - THE OWNER'S PRIME CONTRACTOR SHALL VERIFY AND PROTECT ALL SERVICE LINES AND EXISTING SITE AREA FROM DETERIORATION OR DAMAGE.
 - THE ARCHITECT/ENGINEER SHALL NOT BE RESPONSIBLE FOR THE SAFETY AND CONSTRUCTION PROCEDURES, TECHNIQUES, OR THE FAILURE OF THE OWNER'S PRIME CONTRACTOR TO CARRY OUT THE WORK IN ACCORDANCE WITH THESE CONTRACT DOCUMENTS OR THE REQUIRED BUILDING AND SAFETY CODES.
 - THE PRIME CONTRACTOR SHALL BRING ERRORS AND OMISSIONS WHICH MAY OCCUR IN CONTRACT DOCUMENTS TO THE ATTENTION OF THE OWNER IN WRITING AND WRITTEN INSTRUCTIONS SHALL BE OBTAINED BEFORE PROCEEDING WITH THE WORK.
 - THE PRIME CONTRACTOR WILL BE HELD RESPONSIBLE FOR THE RESULTS OF ANY ERRORS, DISCREPANCIES, OR OMISSIONS IN THE CONTRACT BEFORE CONSTRUCTION AND/OR FABRICATION OF THE WORK DOCUMENTS, OF WHICH THE PRIME CONTRACTOR FAILED TO NOTIFY THE OWNER.
 - THE PRIME CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND JOB CONDITIONS AT THE JOB SITE SUFFICIENTLY IN ADVANCE OF WORK TO BE PERFORMED TO ASSURE THE ORDERLY PROGRESS OF THE WORK.
 - ALL MANUFACTURER'S PRINTED WARNINGS FOR HANDLING OF PRODUCTS MUST BE STRICTLY OBSERVED. THE WORDS "OR APPROVED EQUAL" ARE TO BE ASSUMED WHENEVER A SPECIFIC MANUFACTURER IS NOTED.
 - ALL CODES, TRADE STANDARDS, AND MANUFACTURER'S INSTRUCTIONS REFERENCED IN THE CONTRACT DOCUMENTS SHALL BE THE LATEST EDITION.
 - PRIME SUB CONTRACTOR SHALL MAKE NO STRUCTURAL MODIFICATION WITHOUT WRITTEN APPROVAL OF THE ARCHITECT / ENGINEER.

- GENERAL NOTES**
- ALL WALLS ACCORDING TO THE DRAWINGS ARE 4" OR 6" NON-BEARING METAL STUD WALLS UNLESS OTHERWISE NOTED, EXTEND UP TO FLOOR FRAMING ABOVE AND SECURE. (TYP.)
 - ALL GLAZING IN DOORS ARE TO BE TEMPERED AND SHALL CONFORM TO APPLICABLE BUILDING CODES.
 - ALL GYPSUM BOARD IN TOILET ROOMS, JANITOR CLOSET, AND ROOMS WITH SINKS SHALL BE MOISTURE RESISTANT ON THE WALLS BEHIND AND ADJACENT TO THE SINKS.
 - ALL WINDOW AND DOOR ASSEMBLIES SHALL BE ANCHORED IN ACCORDANCE WITH PUBLISHED MANUFACTURER'S RECOMMENDATIONS.
 - FIREBLOCKING SHALL BE PROVIDED TO CUT OFF ALL CONCEALED DRAFT OPENINGS (BOTH VERTICAL & HORIZONTAL) AND TO FORM AN EFFECTIVE FIRE BARRIER BETWEEN STORIES AND BETWEEN A TOP STORY AND THE ROOF SPACE. FIREBLOCKING SHALL BE PROVIDED IN WOOD-FRAME CONSTRUCTION IN THE FOLLOWING LOCATIONS.
 - IN CONCEALED SPACES OF STUD WALLS AND PARTITIONS, INCLUDING FURRED SPACES AND PARALLEL ROWS OF STUDS OR STAGGERED STUDS (LOCATIONS, VERTICALLY AT THE CEILING & FLOOR LEVELS, HORIZONTALLY AT INTERVALS NOT EXCEEDING 10 FEET).
 - AT ALL INTERCONNECTIONS BETWEEN CONCEALED VERTICAL AND HORIZONTAL SPACES SUCH AS OCCUR AT SOFFITS, DROP CEILING AND COVE CEILING.
 - AT OPENINGS AROUND VENTS, PIPES, DUCTS, CABLES AND WIRES AT CEILING AND FLOOR LEVEL WITH AN APPROVED MATERIAL TO RESIST THE FREE PASSAGE OF FLAME AND PRODUCTS OF COMBUSTION.
 - ALL COUNTERS AND SINK RIMS SHALL BE NO HIGHER THAN 34" ABOVE FINISHED FLOOR PER ICC /ANSI A117.1 (TYP.)



ISSUE DATE: MO-DA-YEAR
 REVISIONS
 Plumbing Review 08/13/17




Gym Fitout
 281 Witherspoon Street
 Princeton, NJ 08540



www.bsbdesign.com
 1250 Old York Road, Unit 201
 Warminster, PA 18974
 267-317-4400

JOB NO: CM170317.00 PROJ MGR: RL
 DRAWN: RML CHECKED: RL
 Lower Level Floor Plan



1 Reflected Ceiling Plan
 SCALE: 1/4"=1'-0"
Fit Body Gym Option 2:
Open Ceiling with Acousitcal Foam Spray

ASSEMBLY PLAN NOTES:

1. REFER TO WALL TYPES AND WALL SECTIONS FOR INFORMATION ON WALL CONSTRUCTION.
2. G.C. TO COORDINATE ALL PLUMBING / MECHANICAL / FIRE PROTECTION PENETRATIONS THROUGH FLOORS / WALLS
3. ALL DIMENSIONS ARE FROM FACE OF STUD TO FACE OF STUD.
4. ALL WALKING SURFACES OF MEANS OF EGRESS SHALL HAVE SLIP RESISTANT FINISH.
5. LIGHTING TO BE FURNISHED BY OWNER
6. CERTAIN FLOORING TO BE FURNISHED BY TENANT.
7. GC TO VERIFY THAT ALL EQUIPMENT IS MOUNTED/ PLACED PER THE ACCESSIBILITY REQUIREMENTS.

ELECTRICAL NOTES:

1. PROVIDE AND INSTALL LOCALLY CERTIFIED SMOKE DETECTORS AS REQUIRED BY NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) AND MEETING THE REQUIREMENTS OF ALL GOVERNING CODES
2. PROVIDE AND INSTALL GROUND FAULT CIRCUIT INTERRUPTERS (GFI) AS REQUIRED BY NATIONAL ELECTRIC CODE (NEC) AND MEETING THE REQUIREMENTS OF ALL GOVERNING CODES.
3. HVAC CONTRACTOR TO VERIFY THERMOSTAT LOCATIONS.

ELECTRICAL KEY:

- ⊕ DUPLEX CONVENIENCE OUTLET
- ⊕_{up} DUPLEX OUTLET ABOVE COUNTER
- ⊕_{wp} WEATHERPROOF DUPLEX OUTLET
- ⊕_{GFI} GROUND-FAULT CIRCUIT-INTERRUPTER DUPLEX OUTLET
- ⊕₄ 4-FLX CONVENIENCE OUTLET
- ⊕_F FLOOR DUPLEX OUTLET
- ⊕₃ WALL SWITCH
- ⊕₃ THREE-WAY SWITCH
- ⊕_D DIMMER SWITCH
- ⊕_{CL6} CL6 OR WALL MTD COMM OCCUPANCY SENSOR
- ⊕_{LED} RECESSED LED LIGHT FIXTURE
- ⊕_{PEND} CEILING MOUNTED PENDANT LIGHT FIXTURE
- EXIT EXIT SIGN
- EXIT EXIT SIGN WITH EMERGENCY LIGHTS
- EMERGENCY LIGHT
- REMOTE EMERGENCY LIGHT
- HORN&STROBE
- 2x4 FLUORESCENT LIGHT FIXTURE
- 2x2 FLUORESCENT LIGHT FIXTURE
- 12" DIA. LIGHT FIXTURE
- SMOKE DETECTOR
- CO DETECTOR
- THERMOSTAT
- ELECTRIC PANEL
- TELEPHONE
- COMPUTER
- FULL STATION



ISSUE DATE: 08-13-2017

REVISIONS	DATE	DESCRIPTION
Plumbing Review	08/13/17	



Gym Fitout
 281 Witherspoon Street
 Princeton, NJ 08540




www.bsbdesign.com
 1250 Old York Road, Unit 201
 Warminster, PA 18974
 267-317-4400

JOB NO: CM170317.00 PROJ MGR: RL
 DRAWN: RML CHECKED: RL
 Reflected Ceiling &
 Electrical Plan - Option 2

07.26.2017 - Permit Review

DOOR SCHEDULE											
MARK	DOOR SIZE			TYPE	DOOR MATERIAL	FINISH	ACTION	FRAME	THRESHOLD	HARDWARE	REMARKS
	WIDTH	HEIGHT	THICK								
101	3'-6"	8'-0"	1 3/4"	A	GLASS IN METAL FRAME	TBD	SWING	FRE-HUNG	METAL	SET 01	TEMPERED
102	3'-0"	6'-8"	1 3/4"	B	HOLLOW METAL	PAINT	SWING	FRE-HUNG	METAL	SET 02	
103	3'-0"	6'-8"	1 3/4"	B	HOLLOW METAL	PAINT	SWING	FRE-HUNG	METAL	SET 03	
104	3'-0"	6'-8"	1 3/4"	B	HOLLOW METAL	PAINT	SWING	FRE-HUNG	METAL	SET 04	
105	3'-0"	6'-8"	1 3/4"	B	HOLLOW METAL	PAINT	SWING	FRE-HUNG	METAL	SET 05	
106	3'-0"	6'-8"	1 3/4"	B	HOLLOW METAL	PAINT	SWING	FRE-HUNG	METAL	SET 05	
107	3'-0"	6'-8"	1 3/4"	B	HOLLOW METAL	PAINT	SWING	FRE-HUNG	METAL	SET 03	
108	3'-0"	6'-8"	1 3/4"	B	HOLLOW METAL	PAINT	SWING	FRE-HUNG	METAL	SET 03	


DOOR TYPES



NOTES:



- ALL HAND ACTIVATED DOOR OPENINGS HARDWARE REQUIRED FOR EXITING SHALL BE LEVER TYPE AS SPECIFIED AND AS DIRECTED BY THE ARCHITECT AND FIRE DEPARTMENT.
- ALL DOORS SHALL BE OPERABLE FROM THE INSIDE WITHOUT THE USE OF A KEY OR ANY SPECIAL KNOWLEDGE OR EFFORT.
- KEY LOCKING HARDWARE MAY BE USED ON THE MAIN EXIT IF THERE IS A READILY VISIBLE DURABLE SIGN ON OR ADJACENT TO THE DOOR STATING "THIS DOOR TO REMAIN UNLOCKED DURING BUSINESS HOURS." ALL OTHER DOORS MUST BE EQUIPPED WITH APPROVED EXIT HARDWARE.
- ALL PASSAGE DOORS SHALL HAVE LEVER TYPE HARDWARE, UNLESS OTHERWISE NOTED ON FLOOR PLAN.
- ALL DOORS AND HARDWARE SHALL COMPLY WITH APPLICABLE ACCESSIBILITY REQUIREMENTS.
- PROVIDE CLOSERS ON RESTROOM DOORS AND EXTERIOR PASSAGE DOORS.

HARDWARE SCHEDULE	
SET # 01	MAIN ENTRY DOOR • 4 BB BUTT HINGES EACH LEAF (TAMPERPROOF) • 1 LOCKSET W/PANIC DEVICE • 1 CLOSER WITH BACKCHECK (MAX. 5 LB. PULL) • RUBBER DOOR SILENCERS • 1 STOP (@ FLOOR OR HINGE)
SET # 02	OFFICE DOOR • 3 BUTT HINGES • 1 PRIVACY LOCKSET • RUBBER DOOR SILENCERS • 1 WALL STOP (@ FLOOR OR HINGE)
SET # 03	CLOSET DOORS • 3 BUTT HINGES • 1 LEVERED PASSAGE LOCKSET • RUBBER DOOR SILENCERS • 1 WALL STOP (@ HINGE OR ON WALL)
SET # 04	EGRESS DOOR • 3 BUTT HINGES • 1 LEVERED PASSAGE LOCKSET • PANIC HARDWARE • 1 EXIT DEVICE • 1 CLOSER WITH BACK CHECK (MAX. 5 LB. PULL) • RUBBER DOOR SILENCERS • 1 WALL STOP (@ HINGE, ON FLOOR, OR ON WALL)
SET # 05	RESTROOM DOOR • 3 BUTT HINGES • 1 EXIT DEVICE • 1 CLOSER WITH BACK CHECK (MAX. 5 LB. PULL) • RUBBER DOOR SILENCERS • 1 WALL STOP (@ HINGE, ON FLOOR, OR ON WALL)




Number of Plumbing Fixtures			
Total Occupants (Rec Center)	#REF!		
Based off overall occupant load and 2015 IPC Table 403.1			
	Male	Female	Remarks
Total Occupants	102	102	A-3 Occupancy Use
Type of Fixture			
Male Toilets (1 per 125)	1	-	A-3 Occupancy Use
Female Toilets (1 per 65)	-	2	A-3 Occupancy Use
Sub-total	1	2	
Permitted Urinals (67%)	1	-	
Male Lav (1 per 200)	1	-	A-3 Occupancy Use
Female Lav (1 per 200)	-	1	A-3 Occupancy Use
Sub Total	1	1	
Final Count (Toilets)	2	3	
Final Count (Urinals)	1	-	
Final Count (Lav Sinks)	2	2	
Final Count (Mop Sinks)		1	
Final Count (Fountains)	2		1 Standard Height/ 1 Accessible Height
Final Counts (Showers)	0		

Plumbing Fixture Schedule



NOTE: CERAMIC TILE TO MATCH CURRENT BATHROOM WALLS ON UPPER FLOORS



STATE OF NEW JERSEY
 PLUMBING REVIEW
 ISSUE DATE: 08/13/17
 REVISIONS

FIT BODY BOOT CAMP
 UNSTOPPABLE FITNESS FORMULA

Gym Fitout
 281 Witherspoon Street
 Princeton, NJ 08540

BSB DESIGN
 www.bsbdesign.com
 1250 Old York Road, Unit 201
 Warminster, PA 18974
 267-317-4400

JOB NO: CM170317.00 PROJ MGR: RL
 DRAWN: RML CHECKED: RL
 Interior Elevations
 Demountable Partition Detail
 Door & Hardware Schedules
 Plumbing Fixture Schedule