

**DIVISION 9 FINISHES**

- 91 ALL INTERIOR FINISH MATERIAL SHALL HAVE A SMOKE DEVELOPED RATING OF NOT LESS THAN 450 IN ACCORDANCE WITH ASTM E 84 OR UL 723.
- 92 FIRE RESISTANCE RATINGS FOR INTERIOR WALL AND CEILING FINISHES IN ACCORDANCE WITH ASTM 84 FOR TYPE 1 CONSTRUCTION WITH SUPPRESSION SYSTEM IN ACCORDANCE WITH NFPA 13 IS AS FOLLOWS:
- | SPACE:                       | RATING: | FLAME SPREAD: | SMOKE DEV. INDEX: |
|------------------------------|---------|---------------|-------------------|
| VERTICAL EXITS & PASSAGEWAYS | B       | 26-75         | 0-450             |
| CORRIDORS                    | B       | 26-75         | 0-450             |
| ROOMS/ENCLOSED SPACES        | C       | 76-200        | 0-450             |
- 93 INTERIOR FLOOR FINISHES AND FLOOR COVERING MATERIAL SHALL BE CLASSIFIED IN ACCORDANCE WITH NFPA 252:
- | RATING: WATTS/CM² OR GREATER |
|------------------------------|
| CLASS I 0.45                 |
| CLASS II 0.22                |
- 94 INTERIOR FLOOR FINISHES/COVERINGS IN EXIT ENCLOSURES, EXIT PASSAGEWAY AND CORRIDORS SHALL NOT BE LESS THAN CLASS II.
- 95 CLASS II ARE PERMITTED WHERE CLASS I MATERIALS ARE SPECIFIED IF AREA HAS AN AUTOMATIC FIRE SUPPRESSION SYSTEM.
- 96 ALL LUMBER AND PLYWOOD SHALL BE FIRE RETARDANT.
- 97 ALL PLASTIC LAMINATE AND GLUE TO BE FIRE RETARDANT AND EQUIVALENT TO FLAME SPREAD.
- INTERIOR FINISH AND TRIM SHALL NOT DECLASSIFY THE BUILDING WITH RESPECT TO TYPE OF CONSTRUCTION.

**FINISHES SCHEDULE**

	KEY	DESCRIPTION	MANUFACTURER	STYLE/ COLOR
CEILING	1	SUSPENDED T & G	ARMSTRONG	LINEAGE WOOD LOOKS/ WHITE 1480
	2	GW	USG	
	3	STAINED PINE TRIM BOARD	DURA-GROOVE	RUSTIC BROWN BARNWOOD
	4	CEILING TILES	ARMSTRONG	OPTIMA LAY IN, 1/8" PRELUDE GRID
FLOOR	1	VINYL WOOD PLANK	PARTERRE	VERTU, 11765 SUNFLOWER OAK
	2	VINYL (6FT SHEET GOODS)	CONGOLEUM	AMOREORE UP, ETHEREAL, PALE MOON, AV812
	3	CARPET TILE	MASLAND	SUBTLE IMPACT, T515-51507 STRUCTURE
WALL	1	WALL PAINT (ALL RETAIL WALLS)	SHERWIN-WILLIAMS	SW 9054 LITTLE BOY BLU
	1	WALL PAINT (STOCK RM & OFFICE)	SHERWIN-WILLIAMS	SW 7104 COTTON WHITE
	2	HARDIEPLANK LAP SIDING SMOOTH 6.25"	JAMES HARDIE	LITTLE BOY BLUE
	3	RECLAIMED WOOD	PROVENANCE	FULLY CONTOURED MUSHROOM WOOD


**LEGEND**

- EXISTING WALL TO REMAIN
- EXISTING WALL TO BE REMOVED
- 1 HR FIRE RATED WALL
- NEW FRAMED WALL  
3 1/2" METAL STUDS @ INTERIOR WALLS,  
(U.O.N.)
- MASONRY WALL

- NOTES:
- ALL MEASUREMENTS ARE TAKEN TO FACE OF STUD
  - FOR STUD WALLS BELOW D.F.E. SUBSTITUTE CEMENT BOARD FOR GYPSUM SHEATHING.

1 First Floor Plan

Scale: 1/4" = 1'-0"



© COPYRIGHT  
Only plans having a raised professional seal are considered to be official and relied upon by the user. This plan has been prepared specifically for the client and project designated herein. No alterations, reproductions or use of any part of contents may be made without the expressed written permission of Hyland Design Group, Inc.

Project Team:

**John E. Halbruner**

NJ Registered Architect No. 15952

Project:

**Ron Jon Surf Shop**

Location:

761 Asbury Avenue  
Block 707/ Lot 1  
Ocean City  
Cape May County  
New Jersey

Client:

**Ron Jon Asbury Ave. LLC**

No.	Description	Date
1.	Preliminary Issuance	12-19-19
2.	Progress Issuance	01-08-20
3.	Issued for Permit	01-24-20
4.	Add Merchandise Fixtures	02-17-21

Drawn By: **SO** Checked By: **Guse/JEH**  
Project No. **2376.03**

Floor Plan

**A101**

Sheet 01 of 10