



**GENERAL NOTES**

1. ALL INTERIOR WALLS ARE TYPE A6-DA WITH ACOUSTICAL BATTS UNLESS NOTED OTHERWISE. REF. WALL SECTIONS FOR EXTERIOR WALL ASSEMBLY.
2. ALL WALLS SPAN TO DECK (HEAD CONDITION TYPE D OR F) WITH ACOUSTICAL BATTS U.I.O.
3. PROVIDE CONTROL JOINTS IN GYPSUM BOARD WALLS ABOVE THE CORNER OF ALL INTERIOR DOOR AND WINDOW FRAMES IN THE CENTER OF STRAIGHT WALLS 30'-0" IN LENGTH OR GREATER OR AS INDICATED ON INTERIOR ELEVATIONS. PROVIDE HORIZONTAL CONTROL JOINTS AT 10'-0" A.F.F. THROUGHOUT BUILDING. TYP.
4. PROVIDE CAST IRON BOOT AT ALL DOWNSPOUTS TO UNDERGROUND DRAINAGE SYSTEM. TYP.
5. REF SHEET A02.00 FOR WALL AND PARTITION TYPES.
6. REF SHEET A02.00A FOR TYPICAL UL HEAD DETAILS.
7. REF SHEET G00.10 FOR ABBREVIATIONS AND SYMBOLS.
8. REF LIFE SAFETY PLANS FOR PARTITION RATINGS AND FIRE EXTINGUISHER LOCATIONS. COORDINATE FINISHES AND FIRE RATINGS WITH RECESSES.
9. FIRE SEAL ALL PENETRATIONS AND RECESSES WITHIN RATED WALL ASSEMBLIES.
10. ALL EXPOSED STRUCTURAL STEEL TO BE COATED WITH INTUMESCENT FIRE PROOFING.
11. REF. SHEET A08-41 FOR GLAZING ELEVATIONS
12. SPOT ELEVATIONS NOTED ON PLANS ARE RELATIVE TO PERSPECTIVE LEVEL'S M.S.E. SHOWN IN OVERALL ELEVATIONS (EXAMPLE: 0'-0" ON 1 M.S.E. OF 38'-0").
13. ALL EXTERIOR PRODUCTS MUST MEET FLORIDA PRODUCT APPROVAL WITH A NOA LETTER.

**TOTAL OVERALL SQUARE FEET: 13539.48 SF**  
**TOTAL INCLUDES DEMISING WALLS, CORRIDOR, MEP AND FIRE PUMP ROOM.**

ISSUES		
1	09.13.2024	DESIGN DEVELOPMENT
2	02.14.2025	ISSUE FOR PERMIT
3		
4		
5		
6		
7		
8		
9		
10		

REVISIONS		
2	04.11.2025	RFI 008

Date of issue:  
02.14.2025

**WATERSOUND SPEC #11**  
 S. WALTON COUNTY, FLORIDA

FLOOR PLAN - LEVEL ONE - OVERALL

JOB 22254.0500  
 DATE 02.14.2025  
 SHEET

**A02-01**